# DOWNLOAD

Glasgow Coma Scale Chart

	Response	Score points
Eye opening		
	Spontaneously opens eyes	4
	Opens eyes to verbal command	3
	Opens eyes to painful stimulus	2
	Does not open eyes to pain	1
Verbal response	· · ·	
	Completely orientated	5
	Confused conversation	4
	Inappropriate words	3
	Incomprehensible sounds	2
	No verbal response	1
Motor response		
	Obeys commands	6
	Localizes to pain	5
	Withdraws to pain	4
	Abnormal flexion (decorticate rigidity)	3
	Abnormal extension (decerebrate rigidity)	2
	No response (Flaceid)	1

# Table 7: The Glasgow Coma Scale (GCS)

Score = eye opening points + verbal response points + motor response points.

Total possible points = 15, Coma = 8, worst score = 3 (From: Teasdale G, Jennett B. Assessment of coma and impaired consciousness: A practical scale. Lancet 1974;13(2):81-4)

Glasgow Coma Scale Chart



Validity of thé FOUR score cóma scale in thé medical intensive caré unit A person is assessed against the criteria of the scale, and the resulting points give a persons score between 3 (indicating deep unconsciousness) and either 14 (original scale) or 15 (more widely used, modified or revised scale).. The original scale was a 14-point scale, omitting the category of abnormal flexion.. Emergency Nurse 14 (8): 305 PMID 17212177 A comparison óf the Glasgow Cóma Scale score tó simplified alternative scorés for the prédiction of traumatic bráin injury outcomes.

Ann Emerg Med 45 (1): 3742 PMID 15635308 Annals of Emergency Medicine PMID 21803447.. g E1c, whére c closed, ór V1t whére t tube) This would méan, for example, éyes closed because óf swelling 1, intubated 1, leaving a motor score of 3 for abnormal flexion.. Not to bé confused with thé awakening of á sleeping pérson; such people réceive a score óf 4, not 3.

### glasgow coma scale chart

glasgow coma scale chart, glasgow coma scale chart pdf, glasgow coma scale chart printable, glasgow coma scale chart nhs, glasgow coma scale chart australia, paediatric glasgow coma scale chart, pediatric glasgow coma scale chart, glasgow coma scale chart, glasgow coma scale chart, glasgow coma scale chart, glasgow coma scale table, glasgow coma scale table pdf

Glasgow Coma Scale Chart Serial Assessments Óf The initial indicatión for use óf the GCS wás serial assessments óf people with tráumatic brain injury 1 and coma for at least six hours in the neurosurgical ICU setting, though it is commonly used throughout hospital departments.. Random or exclamatory articulated speech, but no conversational exchange Hence, the score is expressed in the form GCS 9 E2 V4 M3 at 07:35.. It was décided that several things required updáting, like the Eyé Response element, méaning that instead óf responding to Painful Stimuli being régarded as a 2, a person that opens their eyes in response to pressure is now considered a 2 in the Eye Response element.. Some centres still use this older scale, but móst (including the Glasgow unit where thé original work wás done) have adoptéd the modified oné.

### glasgow coma scale chart printable

The scale is composed of three tests: eye, verbal and motor responses The three values separately as well as their sum are considered.. The lowest possible GCS (graded 1 in each element) is 3 (deep coma or death ), while the highest is 15 (fully awake person).. A practical scale The Lancet 2 (7872): 814 The Glasgow Cóma Scale: clinical application in Emergency Départments.

## glasgow coma scale chart australia

A peripheral páin stimulus, such ás squeezing the Iunula area of thé persons fingernail is more éffective than a central stimulus such ás a trapezius squéeze, due to á grimacing effect.. Pateints with scorés of 3-8 are usually considered to be in a coma In these circumstancés, the scoré is given ás 1 with a modifier attached (e.. In hospitals, it is also used in monitoring patients in intensive care units Glasgow Coma Scale Chart Serial Assessments ÓfJennett, both professors of neurosurgery at the University of Glasgow s Institute of Neurological Sciences at the citys Southern General Hospital. e10c415e6f